

CUADRO A
NIÑOS EVALUADOS COMPRENDIDOS ENTRE 0 Y 14 AÑOS
PERIODO: 1988 - 1985

AÑOS	NIÑOS EVALUADOS		DESNUTRICION AGUDA		NO CONTINUACION TRATAMIENTO		RECUPERACION PATRINTIGUAL		
	TOTAL	MASC	FEM	TOTAL	MASC	FEM	TOTAL	MASC	FEM
1988	45	23	22	8	4	4	14	9	5
1989	47	23	24	2	1	1	23	13	10
1990	37	18	19	1	1	1	19	10	9
1991	70	26	44	2	1	1	31	14	17
1992	39	20	19	3	2	1	11	5	6
1993	33	12	21	2	2	2	7	1	6
1994	31	15	16	3	2	1	13	6	7
1995	42	22	20	4	2	2	4	2	2
TOTAL	344	159	185	25	12	12	122	64	58

* No se especifica el sexo de un niño.

CUADRO B
PATOLOGIAS MAS FRECUENTES ASOCIADAS A LA DESNUTRICION

DESNUTRICION	1988	1989	1990	1991	1992	1993	1994	1995	TOTAL
PROC IN SP	13	14	6	13	16	15	5	24	105
PROCAST INF	1	1	2	2	9	8	8	1	5
PATAS INTEST	10	8	12	15	9	8	11	11	81
LESION DERMIC	3	3	1	2	4	4	1	4	13
NEFROSA	3	1	1	4	2	1	1	4	16
HEPATOMA	4	4	6	2	4	5	3	6	34
TOTAL	34	30	26	38	34	29	17	46	274

GRAFICO # 1





GRAFICO. # 2



CUADRO # 1
INCIDENTOS DE FONDOS ESTADUAL-CEPATCO DE LOS NIÑOS DESNUTADOS
QUE SIGUIERON TRATAMIENTO
AÑO 1988

SEXO	EDAD	PESO		TALLA		PER. CEF.	
		INGRESO	EGRESO	INGRESO	EGRESO	INGRESO	EGRESO
MASC	FEMEN	A.M	A.M	KG.	KG.	CM.	CM.
1	1	2A 6M	3A	8.6	14	74	94
1	1	1A 6M	1A 6M	6.8	11	71	76
1	1	7A 3M	8A	20.4	26	118	129
1	1	9M	2A	6	11.5	67	77
1	1	12D	5A 4M	2.2	20.9	44	117
1	1	1A 1M	1A 3M	9.4	11	71	77
1	1	10A 1M	1A 3M	8.1	10.5	72	78
1	1	4M	10A 6M	21.3	28.3	130	134
1	1	2A 9M	3A	4.5	10	52	74
1	1	11M	1A 6M	11.8	14	91	98
1	1	1A 6M	2A	6.8	11	70	77
1	1	1A 1M	1A 1M	9.3	11.8	77	86
1	1	2A 11M	2A 11M	9.5	10.7	75	78
1	1	2A 2M	9A	13	15.6	94	106
1	1	3M	1A 3M	5	11	86	125
1	1	2A 1M	3A 1M	10	14	81	94
1	1	6A 2M	6A	14	20	99	115
1	1	6A	6A 8M	19	23.2	118	125
1	1	15A	15A 6M	31.8	50	118	125
1	1	1A	2A 1M	7.2	11.8	75	87
1	1	9A	10A	20	32	125	136
1	1	8A	9A 6M	19	29	125	132

CUADRO 1.1
INCREMENTOS FONDO-ESTATURAL-CEFALICO
DE LOS NIÑOS DESNUTRIDOS QUE COMPLETARON EL TRATAMIENTO
AÑO : 1988

SEXO		EDAD	INCREMENTOS			TIPOS
MASC	FEM	AÑOS	PESO Kg	TALLA cm	PER. CEF. cm.	
1		2	5.4	20	5	crónica
1		1	4.2	5	4	"
1		7	5.6	11	5	aguda
1		0	5.5	10	6.6	crónica
	1	0	18.7	73	19	intraut.
	1	1	1.6	6	3	crónica
	1	1	2.4	6		"
1		10	5	4		aguda
	1	0	5.5	22		crónica
1		2	2.2	7		aguda
	1	0	4.2	7		crónica
	1	1	2.5	8	1.5	aguda
	1	1	1.2	3		"
	1	2	6.1	2		"
	1	2	16	39		"
	1	0	6	23		"
1		2	4	13		"
1		5	6	16		crónica
1		6	4.2	7		crónica
1		15	18.2			"
1		1	4.6	12		aguda
	1	9	12	11		crónica
	1	8	10	7		"
11	12					

CUADRO # 2
INCREMENTOS PONDO-ESTATURAL-CEFÁLICO DE LOS NIÑOS DESNUTRIDOS
QUE RECIBIERON TRATAMIENTO
AÑO 1989

SEXO		EDAD		PESO		TALLA		PER. CEF.	
MASC.	FEMEN.	INGRESO A-M	EGRESO A-M	INGRESO KG.	EGRESO KG.	INGRESO CM.	EGRESO CM.	INGRESO CM.	EGRESO CM.
1		11M	3A 3M	9.7	14.5	74	97		51
	1	2A	2A 9M		13.7		94		
	1	1A 9M	2A	7.7	12.7	79	85		
	1	6A 9M	8A 4M	18.6	28.2	114	129		49
	1	9M	10A	20	32	126	136		
	1	8A	8A 10M	19	29	125	132		
	1	3A 10M	4A 2M	11.8	16	91	105		
	1	9M	1A 5M	7.2	11	67	74	44	46
1		2A	4A 9M	9.5	18.5	85	105	49	61
	1	5A	6A 2M	13.6	20	108	112		
	1	7M	4A 10M	7.2	17	68	105	49	61
1		1A 5M	3A 7M	9.5	16	80	105	46	51
1		4A 5M	7A	14	22.5	108	135	51	58
1		9A 2M	11A	23.1	35	122	142		
	1	4M	1A 3M	5.8	9.5	64	75		
	1	2A 1M	3A	10.9	14	86	94	46	51
	1	10M	1A	5.4	10	70	75		47
1		1A 3M	1A 6M	9	10.9	75	80	46.7	
1		1A 8M	3A 2M	8.1	13.8	79	96		
1		3A 9M	4A 2M	14	16	93	104		
1		5A	5A 2M	17	18.5	108	110		
	1	2A 10M	5A	12.6	18	96	115		
9	13								

CUADRO 2.1
INCREMENTOS FONDO-ESTATURAL-CEFALICO
DE LOS NIÑOS DESNUTRIDOS QUE COMPLETARON EL TRATAMIENTO
AÑO: 1989

SEYO		EDAD	INCREMENTOS			TIPOS
MASC	FEM	AÑOS	PESO Kg	TALLA cm	PER CEF cm	
1		0	4.8	23		aguda
	1	2				*
	1	1	5	6		*
	1	6	9.6	15		crónica
	1	9	12	11		*
	1	8	10	7		*
	1	3	4.2	14		*
	1	0	3.8	7	2	*
1		2	8	20	2	aguda
	1	5	6.4	4		crónica
	1	0	10.2	37	2	aguda
1		1	6.5	25	5	"
1		4	8.5	27	7	*
1		9	12	20		crónica
	1	2	3.6	11		aguda
	1	2	3.1	8	5	*
	1	0	4.6	5		*
1		1	1.9	5		*
1		1	5.7	17		*
1		3	2	11		crónica
1		5	1.5	2		aguda
	1	2	5.4	19		*
9	13					

CUADRO # 3
INCREMENTOS PONDO-ESTADURAL, CEFALICO DE LOS NIÑOS DESNUTRIDOS
QUE SIGUIERON TRATAMIENTO
AÑO 1990

MADRE	SEXO	EDAD		PESO		TALLA		PER. CEF.	
		INCRECDO	EUFUSO	#POTERO	FORFUSO	INUFUSO	EUFUSO	PROFUSO	EUFUSO
	FEMEN	A-M	A-M	KG.	KG.	CM.	CM.	CM.	CM.
	1	5A 9M	6A	14	21	105	118		
	1	6A 2M	7A 1M	16.8	21.3	113	122		51
	1	9M	4A 6M	7.7	17.2	72	106		48
	1	1A 5M	2A	8.6	12.5	73	78	45	51
	1	3A 1M	4A	12.2	16.5	97	105	49.5	38
	1	1M	4M	2.2	6.5	48	62	34	51
	1	1A 1M	4A 6M	8.1	16.3	76	110	44	51
	1	10M	1A	8.6	10	70.5	75	45.3	
	1	6D	6M	2.7	7.2	48.5	67	33	
	1	7A		20	24	117	118	60	
	1	1A 5M	1A 9M	7.2	12	73.5	86		49
	1	14A	14A 6M	32.2	46				
	1	2A 9M	3A 3M	11.3	14.5	86.5	94		49
	1	1A 9M	2A 4M	10	13	77	87		51
	1	1M	4A	2.7	16.7	47	105	34	
	1	2A 6M	2A 7M	10.9	13	90	95		
	1	2A 7M	2A 8M	12.7	13.6	93	95		
8									
	9								

CUADRO 3.1
INCREMENTOS FONDOS-ESTADURAL-DEFALICO
DE LOS NIÑOS DESNUTRIDOS QUE COMPLETARON EL TRATAMIENTO
AÑO 1980

SEXO	EDAD	INCREMENTOS				TIPOS		
		MADE	FEM	AÑOS	PESO Kg		TALLA cm	PERCENT cm
			1	5	7	13		aguda
			1	6	4.5	9		crónica
		1		0	9.5	34		aguda
		1		1	3.9	5		-
		1		3	4.3	8		-
		1		0	4.3	14		Neo bajo peso
			1	1	8.2	34		aguda
			1	0	1.4	4.5		-
		1		0	4.5	18.5		-
			1	7	4	1		-
				1	4.8	12.5		crónica
			1	14	13.8			Anemia
		1		2	3.2	7.5		crónica
			1	1	3	10		aguda
			1	0	14	58		intuit
		1		2	2.9	6		aguda
			1	2	9	2		-
8	9							

CUADRO # 4
INCREMENTOS PONDO-ESTATURAL-CEFALICO DE LOS NIÑOS DESNUTRIDOS
QUE SIGUIERON TRATAMIENTO
AÑO 1991

SEXO		EDAD		PESO		TALLA		PER. CEF.	
MASC	FEMEN	INGRESO A-M	EGRESO A-M	INGRESO KG.	EGRESO KG.	INGRESO CM.	EGRESO CM.	INGRESO CM.	EGRESO CM.
1		8M	2A 1M	3	12.7	69	86	39	48
1		9M	1A	5.4	10	68	74	42	47
	1	5M	1A 2M	6.3	10.9	63	76	41	47
	1	4A 6M	8A	14	27.2	105	125	51	52
	1	5A	7A	13.6	23	101	116	48	52
	1	8A 4M	9A 4M	23.6	32	125	130	50	53
	1	4A 7M	5A	14	18	102	114		52
	1	6A	7A 1M	18.1	27.2	113	120.5	52	53
	1	9D	1A 5M	2.2	10.2	47	76.5	34	47
	1	1M 17D	7M	3.1	7.7	50	69	35	43
	1	1A 6M	2A	10	12	82	86	47.5	49
	1	5M	9M	4.5	9	61	68	37	
	1	1A 1M	1A 2M	9	9.6	76	76		
	1	11M	1A 3M	7.7	11.3	71	78		48
	1	2A 8M	3A	14.6	15.4	92	99		
	1	1A 6M	1A 8M	7.7	11	77	88		
	1	5M	6M	3.5	7.5	65	68	39	41
	1	8D	1A	2.2	10.5	45	76	32	47
	1	6M	1A 1M	8.6	11	73	76		47
	1	1A 6M	2A	8.6	12.7	85	86		49
	1	1A 1M	4A 3M	7.7	17	74	110	44.5	51
	1	5A 10M	6A 2M	15.9	21	109	124		
	1	10D	4M	2.2	6	47	61	33	39
	1	1M	2A	3.1	12	40	85	35.5	48
	1	2A	4A 6M	9.6	18.6	86	110	48	50.5
	1	4A 6M	6A 7M	14	23	108	122		52
	1	1A 5M	1A 6M	9.5	11	78.5	80	47	48
	1	2A 6M	2A 7M	12.2	14	89.5	90	48	
	1	2A	3A 1M	9.5	14.6	86	93	46	46
	1	1A 4M	3A	9	14.2	80	97		49
	1	8M	2A	6.3	12	76	86	47	48
	1	1A 11M	2A 6M	8.6	13.4	83	87		48
	1	1M 8D	1A 1M	2.7	10.4	64	76	37	47
	1	6M	2A	6.8	12.7	66.5	85	41.5	48
	1	11M	1A 3M	7.7	11.3	71	78		48
	1	1A 1M	4A 3M	7.7	17	74	107	44.5	49
	1	5A 10M	7A	15.9	24	109	132		53
11	26								

CUADRO 4.1
INCREMENTOS FONDO-ESTATURAL-CEFALICO
DE LOS NIÑOS DESNUTRIDOS QUE COMPLETARON EL TRATAMIENTO
AÑO 1991

SEXO		EDAD	INCREMENTOS			TIPOS
MASC	FEM	AÑOS	PESO Kg	TALLA cm	PERÍMETRO cm	
1		0	8.7	16	9	aguda
1		0	4.6	6	5	crónica
	1	0	3.6	13	6	Subnutrido
	1	4	13.2	20	1	crónica
	1	5	9.4	14	4	"
	1	8	9.4	5	3	"
1		4	4	12		"
1		6	9.1	7.5	1	aguda
	1	0	8	29.5	13	infrat
	1	0	4.6	19	8	Subnutrida
1		1	2	4	1.5	"
	1	0	4.6	7		infrat
	1	1	0.5	0		aguda
	1	0	3.6	7		"
	1	2	0.9	7		"
1		1	3.3	11		"
	1	0	4	3	2	"
	1	0	8.3	31	15	Neo bajo peso
	1	0	2.4	3		aguda
	1	1	2.7	1		"
	1	1	9.3	36	6.5	"
	1	6	6.1	6		crónica
1		0	3.8	14	6	Neo bajo peso
	1	0	8.9	46	12.5	" " "
1		2	9.1	24	2.5	aguda
	1	4	9	4		"
	1	1	1.5	1.5	1	"
	1	2	1.8	0.5		"
1		1	5.1	7	0	"
	1	1	5.2	19		"
	1	0	5.7	11	1	"
	1	1	4.8	4		"
1		0	7.7	22	10	Neo bajo peso
1		0	5.9	18.5	6.6	"
	1	0	3.6	7		Subnutrida
	1	1	9.3	33	4.5	aguda
	1	5	8.1	23		crónica
11	20					

CUADRO # 5
INCREMENTOS PONDO-ESTATURAL-CEFALICO DE LOS NIÑOS DESNUTRIDOS
QUE SIGUIERON TRATAMIENTO
AÑO 1992

SEXO		EDAD		PESO		TALLA		PER. CEF.	
MASC	FEMEN.	INGRESO A-M	EGRESO A-M	INGRESO KG.	EGRESO KG.	INGRESO CM.	EGRESO CM.	INGRESO CM.	EGRESO CM.
1		4M	5M	6	6.5	62	70	40	42
1		5A 5M	6A	15	20.5	106	119		
	1	11M	1A	8.6	10	72	75.5	45	47
	1	4A	6A 8M	13.6	28.4	95	108	48.5	51
	1	11M	3A	8	14	73	85	43	48
	1	1A 3M	2A	5.4	12.5	73	85	43	48
	1	1A	2A	5.4	12	67	84		48
	1	3A 6M	6A	12.6	21.3	97	119	47	52
1		19A	20A	45.4	63		170		
1		1M 2D	1A 9M	2.2	10.5	50	76		48
	1	2A 6M	3A 7M	11.8	15.9	88	96	48	50
	1	1M 24D	7M	2.6	8	55	70	35	43
	1	1A 4M	2A 5M	9.5	13.6	80	94	47	48.5
	1	1A 6M	2A 1M	9.7	12.5	74	84	46.5	48
	1	7M	9M	6.3	8.5	66	69	40	43
1		2A 9M	3A	10.4	14	93	93	49	
1		1A 7M	1A 9M	9.5	12	80	85	50	
1		7M	1A	6.8	10	64	76	42	47
1		1M 9D	9M	3	10.2	50	75	33.5	46
1		1M 8D	10M	4.5	9.6	55	74	36.5	45
	1	1A 1M	1A 4M	7.5	12	73.5	77.5	44.3	45.5
1		6A 3M	6A 7M	14.5	21.8	110	123	51.5	
1		2A 2M	2A 5M	10	13.3	86	88	47	
	1	3D	11M	2.2	10	52	71	33.5	45
1		7A	7A 4M	20	24	113	125		
13	12								

CUADRO 5.1
INCREMENTOS PONDO-ESTATURAL-CEFALICO
DE LOS NIÑOS DESNUTRIDOS QUE COMPLETARON EL TRATAMIENTO
AÑO: 1992

SEXO		EDAD	INCREMENTOS			TIPOS
MASC.	FEM.	AÑOS	PESO Kg.	TALLA cm.	PER CEF cm	
1		0	0.5	8	2	aguda
1		5	4.5	13		"
	1	0	1.4	2.5	2	"
	1	4	14.8	13	2.5	crónica
	1	0	6	2.2	3.5	"
	1	1	9	12	6	"
1		1	6.6	17		"
	1	3	8.7	22	6	aguda
1		19	17.6			crónica
1		0	8.3	26		"
	1	2	4.1	8	2	aguda
	1	0	5.4	15	8	"
	1	1	4.1	14	1.5	"
	1	1	2.8	10	1.6	Subnutrida
	1	0	2.2	3	3	"
1		2	3.6	0		aguda
1		1	2.5	5		"
1		0	3.2	12	5	"
1		0	7.2	25	12.5	Neo bajo peso
1		0	6.1	18	8.5	Subnutrido ag
	1	1	4.5	4	1.2	crónica
		6	7.3	13		"
1		2	3.3	2		aguda
	1	0	7.8	19	11.6	Neo bajo peso
1		7	4	12		crónica
13	12					

CUADRO # 6
INCREMENTOS PONDO ESTATUTAL-CEFALICO DE LOS NIÑOS DESNUTRIDOS
QUE SIGUIERON TRATAMIENTO
AÑO 1993

SEXO		EDAD		PESO		TALLA		PER. CEF.	
MASC.	FEMEN.	INGRESO A-M	EGRESO A-M	INGRESO KG.	EGRESO KG.	INGRESO CM.	EGRESO CM.	INGRESO CM.	EGRESO CM.
1	1	9M	1A 1M	7.9	10.7	71	77	43	47
	1	3M	1A 4M		11.2	61	79	38	43.5
	1	10A 5M	10A 8M		35.4		140		52
1		1A 2M	1A 6M	8.1	12	72	76	46	47
	1	1M	1A 5M	2.2	11	49	76	37	47
	1	4D	2A	2.2	12	48	85	33	40
	1	3A 6M	3A 9M	14	16.3	95	99	46.5	47.5
1		2A	4A 8M	9	21.3	77	89		46
	1	1A 2M	1A 8M	7.3	11	73	79	46	47
1		4A 9M	5A 6M	17.7	20	110	112	62	64
	1	1A 9M		10.9	11.5	84	87	35	
1		9D	9M	1.9	8.4	43	69	30	43.5
1		1A 4M	1A 9M	9.2	12	79	83	45.5	47
1		4A 3M	4A 6M	12.2	18	93	105	49	61
1		1M	1A 6M	2.7	11	49	79	34	47.5
1		1A	1A 6M	8.1	11	70	78	45	47
	1	3A 6M	4A 4M	13.6	16.3	97	108	48.5	49
1		8M	11M	8.8	10	70	74	45	48
	1	10M	1A	7.7	9.7	69	74	43	46
	1	1A	1A 4M	9.5	11	72	76	44	47
	1	8M 3D	10M	5.5	9	64	71	43	45
	1	7A 6M	7A 8M	16.3	26	110	116	47	48
1		3A 10M	4A 6M	15.4	17.3	97	109	50.5	50.5
	1	8A 6M	8A 4M	23.1	35	120	130	52	55
11	13	.							